

FLOWMAK®

BOMBAS POZOS DE 8" SERIE 8SP






**PUNTO
BOMBAS**
Equipos para sistemas de bombeo

50HZ

Total head(M)

Performance curve

8SP77



2850RPM

8SP77



TYPE	DIMENSIONS(mm)				WEIGHT kg	MOTOR		HEAD M	Capacity (m³/h)					
	A	B	C	D		KW	HP		L/min					
									0	18	36	54	77	102
8SP77-01	5"	158	175	392	13.20	5.50	7.50	13	21	19.5	17	14	13	7
8SP77-02				496	16.37	7.50	10.0	26	41	37	33	28	26	13
8SP77-03				600	19.54	11.0	15.0	39	61	57	50	43	39	20
8SP77-04				704	22.71	15.0	20.0	53	80	76	67	58	53	27
8SP77-05				808	25.88	18.5	25.0	66	100	94	84	73	66	33
8SP77-06				912	29.05	22.0	30.0	79	121	113	101	88	79	40
8SP77-07				1016	32.22	26.0	35.0	93	142	133	120	104	93	47
8SP77-08				1120	35.39	30.0	40.0	106	159	150	135	117	106	53
8SP77-09				1224	38.56	30.0	40.0	119	177	167	152	131	119	58
8SP77-10				1328	41.73	37.0	50.0	133	200	188	168	145	133	68
8SP77-11				1432	44.90	37.0	50.0	146	218	207	186	159	146	74
8SP77-12				1536	48.07	45.0	60.0	159	249	240	217	190	159	99
8SP77-13				1640	51.24	55.0	75.0	172	269	259	235	205	172	107
8SP77-15				1848	57.58	55.0	75.0	199	308	298	273	237	199	120
8SP77-16				1952	60.75	63.0	85.0	212	328	318	290	252	212	132
8SP77-18				2160	67.09	63.0	85.0	239	372	359	328	285	239	147
8SP77-20				2368	73.43	75.0	100	266	410	397	364	315	266	159

50HZ

Total head(M)

Performance curve

8SP95



2850RPM

8SP95

TYPE	DIMENSIONS(mm)				WEIGHT kg	MOTOR		HEAD M	Capacity (m ³ /h)					
	A	B	C	D		KW	HP		L/min					
									0	18	36	60	95	120
8SP95-01	5"	158	175	416	13.20	5.50	7.50	12	22	21	18	15	12	8
8SP95-02				544	16.99	9.20	12.5	24	43	41	37	31	24	15
8SP95-03				672	20.78	13.0	17.5	36	65	62	57	47	36	26
8SP95-04				800	24.57	18.5	25.0	48	84	82	75	62	48	30
8SP95-05				928	28.36	22.0	30.0	60	106	102	94	77	60	38
8SP95-06				1056	32.15	26.0	35.0	72	128	123	114	94	72	46
8SP95-07				1184	35.94	30.0	40.0	84	147	143	132	110	84	53
8SP95-08				1312	39.73	37.0	50.0	96	170	164	152	126	96	62
8SP95-09				1440	43.52	37.0	50.0	108	190	182	169	140	108	68
8SP95-10				1568	47.31	45.0	60.0	120	215	206	190	162	120	82
8SP95-11				1696	51.10	55.0	75.0	132	238	230	212	180	132	90
8SP95-12				1824	54.89	55.0	75.0	144	260	250	231	197	144	99
8SP95-13				1952	58.68	55.0	75.0	156	280	268	250	210	156	106
8SP95-14				2080	62.47	63.0	85.0	168	301	291	271	230	168	116
8SP95-15				2208	66.26	75.0	100	180	325	312	292	248	180	126
8SP95-17				2464	73.84	75.0	100	204	365	350	327	277	204	140
8SP95-18				2592	77.63	93.0	125	216	388	372	350	296	216	150
8SP95-20				2848	85.21	93.0	125	240	431	412	388	333	240	166

FLOWMAK®

**PUNTO
BOMBAS**
Equipos para sistemas de bombeo

www.puntobombas.cl